


Synergy 21 LED Tube T8 150cm KW, 200LM/W, 16W/24W switchable



kwh/1000h:	24,00
Lumens:	4800
Watt:	24,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



The **Synergy21 LED tube** offers an excellent combination of high efficiency and flexibility. With a luminous efficacy of **200lm/W**, this LED tube is ideal for applications that require bright and uniform illumination. It is **switchable in wattage and brightness**, which allows you to select the output between **16 watts** and **24 watts** and thus adjust the light intensity.

This **single-sided LED tube** delivers an impressive light output of **3200 lumens** or **4800 lumens**, depending on the selected setting. The **light colour is cool white** with a colour temperature of **6000K ±250**, which provides clear and invigorating lighting. With a **CRI of >80**, this luminaire ensures that colours are rendered naturally and accurately, ideal for environments where colour rendering is important.

With a **beam angle of 140°**, the Röhre ensures wide and even light distribution. The **length of 1500 mm** and the **diameter of 27 mm** make this LED tube compatible with a wide range of luminaires, while the **rotatable T8 socket** enables flexible installation. Made from high-quality **polycarbonate with a frosted glass look**, the luminaire is robust and durable, suitable for use in various environments with working temperatures from **-20°C to 48°C**.

With an energy consumption of **16/24 kWh per 1000 hours**, this luminaire is an environmentally friendly lighting solution. It is also covered by a **5-year guarantee**, providing additional security and confidence in the longevity of the product.

LED Tube (tube)
powered from one side
Power consumption: 16 and 24 watts
Lumen: 200lm/W, 3200/4800 Lm
Input: 100-240VAC, 50/60HZ

Light colour: cold white
Kelvin: 6000K±250
CRI: >80
Beam angle: 140°
Length: 1500 mm
Diameter: 27 mm
Base: T8, rotatable
Material: Polycarbonate (frosted glass look)
Operating temperature: -20°C ~ 48°C
kWh/1000h: 16/24

5 year guarantee

Attributes

Attribute	Value
Abstrahlwinkel:	140
Betriebstemperatur:	-20 bis +48
CRI:	>80
Dimmbar:	nein
Grösse:	1500*26
LED - Gehäusematerial:	PC
Lichtfarbe:	kaltweiss
Lichtfarbe in Kelvin:	6000
Lumen:	3200/4800
Sockel:	T8
Volt:	230
Weight:	0.3 Kg
Warranty:	60.00 Months

Additional Images

