


Synergy 21 LED Tube T5 SL series 120cm, cool white



kwh/1000h:	25,00
Lumens:	3250
Watt:	25,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



LED Tube T5 (tube)
fed from one side

Power consumption: 25 Watt
Lumen: 130lm/W, 3250 Lm
Input: 100-240VAC, 50/60HZ
Light colour: cool white
Kelvin: 6000K±250
CRI: >80
Beam angle: 120° frosted cover
Length: 1149mm
Diameter: 23 mm
Base: T5 rotatable 180° (Attention T5 does NOT fit in T8 base)
Material: Polycarbonate (frosted glass look)

Operating temperature: -0°C ~ 45°C



Energy efficiency class: A++
kWh/1000h: 25

5 years warranty
IES files available on request

Attributes

Attribute	Value
Abstrahlwinkel:	120
Betriebstemperatur:	-1 bis +45
CRI:	>80
Dimmbar:	nein
Grösse:	1149*23
LED - Gehäusefarbe:	silber
LED - Gehäusematerial:	PC
Lichtfarbe:	kaltweiß
Lichtfarbe in Kelvin:	6000
Lumen:	3250
Schutzklasse:	IP40
Sockel:	T5 drehbar
Volt:	230
Weight:	0.3 Kg
Warranty:	60.00 Months

Additional Images



Accessories

Part No.	Name
134899	Synergy 21 Netzteil - Einschaltstrombegrenzer OSRAM
156713	Synergy 21 LED Tube T5 series 120cm, IP65 double base
156714	Synergy 21 LED Tube T5 series 120cm, IP65 socket
156719	Synergy 21 LED Tube T5 series 120cm, IP20 base
156728	Synergy 21 LED Tube T5 series 120cm, IP20 double base
183813	Synergy 21 LED Tube T5 / T8 to standard power supply unit to emergency power supply 230V