

## ALLNET Design LED Tablet 10 Zoll RK3288 Android 8.1 und NFC,

>>> [Go to the shop article](#)



### EAN CODE



ALLNET Design LED Tablet 10 Inch RK3288 Android 8.1 and NFC, Wlan, PoE, Bluetooth, LED Tablet

Includes power supply and ultra-flat wall mount. RGB LED for displaying e.g. warning signals, occupancy of meeting rooms, etc.

|                |                  |                                  |
|----------------|------------------|----------------------------------|
| <b>System</b>  | CPU              | RK3288,Quad-core cortex A17,1.8G |
|                | RAM              | 2GB                              |
|                | Internal memory  | 16GB                             |
|                | Operation system | 8.1                              |
| <b>Display</b> | Touch screen     | 10-Point capacitive touch        |
|                | Panel            | 15,6"LCD IPS panel               |
|                | Resolution       | 1280x800                         |
|                | Active area      | 216.96(H)x135.6mm(V)             |
|                | Display mode     | Normally black ,IPS              |
|                | Viewing angle    | 85/85/85/85(L/R/U/D)             |
|                | Contrast ratio   | 800                              |
|                | Luminance        | 250cd/m2                         |
| <b>Network</b> | Aspect Ratio     | 16:10                            |
|                | WiFi             | 802.11a/b/g/n 2,4/5GHz           |
|                | Ethernet         | 100M/1000M ethernet              |

|                    |               |                                                               |
|--------------------|---------------|---------------------------------------------------------------|
| <b>Interface</b>   | Buletooth     | Bluetooth 4.0                                                 |
|                    | Card slot     | SD card                                                       |
|                    | USB           | USB Host                                                      |
|                    | Micro USB     | Micro USB OTG                                                 |
|                    | USB           | USB for serial                                                |
|                    | RJ45 with POE | RJ45                                                          |
|                    | POE           | IEEE802.3at/af                                                |
|                    | Power jack    | DC power input                                                |
|                    | Earphone      | 3.5mm earphone + Micphone                                     |
| <b>Media play</b>  | Video format  | MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K |
|                    | Audio format  | MP3/WMA/AAC etc.                                              |
|                    | Photo         | jpeg                                                          |
|                    | VESA          | 75x75mm                                                       |
|                    | Speaker       | 2*1.5W                                                        |
|                    | LED Light bar | LED Light bar                                                 |
|                    | Camera        | 2.0M/P,Front camera                                           |
|                    | Working temp  | 0--40degree                                                   |
|                    | Certificates  | CE/FCC/RoHS                                                   |
|                    | Language      | Multi-language                                                |
| <b>Accessories</b> | Adapter       | Adapter,12V/1.5A                                              |
|                    | User manual   | yes                                                           |

## Attributes

| Attribute              | Value             |
|------------------------|-------------------|
| Abmessung:             | 348,5x223,7x34 mm |
| Arbeitsspeicher (RAM): | 4                 |
| Betriebssystem:        | Android 10        |
| Chipset:               | RK3288            |
| Diagonale:             | 10                |
| Einsatzbereiche:       | Indoor            |
| Farbe Displayrand:     | schwarz           |
| Farbe Gehäuse:         | schwarz;          |



Part No.: 174715  
Vendor Part No.: DT10RK3288A80NFCv2

| Attribute                | Value        |
|--------------------------|--------------|
| Hauptspeicher:           | 16           |
| IP Schutzklasse Display: | IP 20        |
| NFC&RFID:                | 13,56MHz     |
| Produktart:              | Tablet       |
| Stromversorgung:         | PoE&Netzteil |
| Weight:                  | 1.2 Kg       |
| Warranty:                | 24.00 Months |

## Accessories

| Part No. | Name                                                                                                 |
|----------|------------------------------------------------------------------------------------------------------|
| 149144   | VESA Adapterplatte Mini-PC an VESA Monitor-Halterung                                                 |
| 161472   | VESA Desktop Standfuß Wand-Halterung Flex für Tablet, Display, Monitor 7,5cm/10cm Vesa, 2 Gelenke    |
| 174452   | VESA desktop stand mount Flex for tablet                                                             |
| 146334   | VESA wall mount for tablet, monitors very flat with securing                                         |
| 107727   | HEP Power Supply - 12V 12W - HEP for Flush Mount Box                                                 |
| 168029   | ALLNET ALL-WCL1200AC / 1200Mbit Wireless Client                                                      |
| 198301   | VESA Standfuß Halterung höhenverstellbar für Tablet, Display                                         |
| 198302   | VESA Standfuß Halterung höhenverstellbar für Tablet, Display                                         |
| 206389   | ALLNET Ersatznetzteil 12V/2,5A Unterputznetzteil rund Standa                                         |
| 210286   | ALLNET Ersatznetzteil zbh. Hohlbuchse -> Hohlstecker Adapterkabel Verlängerung -> 4,0mm x 1,7mm 1,5m |
| 133125   | ALLNET Passives Injektor Adapter Kabel Set DC Hohlstecker Adapter 5.5 mm gerader Stecker             |
| 112270   | ALLNET ALL048900V2 / Power over Ethernet Injector AT++ 90W                                           |
| 186548   | ALLNET PoE Injector Gigabit PoE & PoE+ (15,4W/30W) / plastic                                         |
| 188381   | ALLNET PoE Inject PoE Gigabit (15,4W/30W/45/60/95W) "ALL0495BT"                                      |
| 209413   | ALLNET Ersatznetzteil 12V/1,5A 4,0mm Hohlstecker Adpater EU/US/UK                                    |