


Synergy 21 LED object/stadium HC spotlight 100W IP67 nw dim 120°



kwh/1000h:	100,00
Lumens:	14000
Watt:	100,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Operating voltage: AC 85-265V, 50/60Hz
LED: 1 module of 168 LEDs, CREE 3030 140lm/Watt
Power supply unit: 1*MeanWell
Beam angle: 120°, module can be swivelled
Lumen: 1*14000lm
Efficiency: 140Lm/Watt
Light colour: 4000K ±150 cw
CRI: Ra>70
Dimmable: yes, 0-10V
Housing: aluminium
Operating temperature: -40°C to +65°C
Protection class: IP67 / IK08
Dimensions: 208*92*639mm

Other beam angles on request: 10°/30°/60°/90°/120°
Other light colours on request: 4000K/5000K/5700K/6500/


Energy efficiency class: A++
kWh/1000h: 100

The connection of electrical components and systems may only be carried out by only be carried out by qualified specialists!

Attributes

Attribute	Value
Abstrahlwinkel:	120
CRI:	>80
Dimmbar:	0-10V
Grösse:	208*92*639
LED - Gehäusefarbe:	schwarz
LED - Gehäusematerial:	Aluminium
Lichtfarbe:	neutralweiß
Lichtfarbe in Kelvin:	4000
Lumen:	14000
Schutzklasse:	IP67
Volt:	230
Weight:	4 Kg
Warranty:	60.00 Months

Additional Images





Accessories

Part No.	Name
148726	Synergy 21 - Waterproof connector 1:1
148727	Synergy 21 - Waterproof connector 1:2
148730	Synergy 21 - Waterproof connector box 3 ports
148729	Synergy 21 - Waterproof connector box 3 ports transparent
148728	Synergy 21 - Waterproof connector box 4 ports
147265	Netz Kabel 230V Schutzkontakt CEE7(Stecker)->Open End mit Adernendhülsen, 1,8m,Black