



Synergy 21 LED Flex Strip 60 WW DC24V 144W IP20



kwh/1000h:	144,00
Lumens:	9300
Watt:	144,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



LED Flex Strip warm white,
DC24V, max. 6A, max power 144W,
600Leds, SMD5050, 9300lm, 120°
3000K ±250
length: 5000*20*2,2mm
indoor
Adhesive tape for mounting aid on the back

Strip can be shortened at marking points with sharp scissors.
!Attention! Strip must first be checked for functionality.
Only split the strip when no current is present.

Energy efficiency class: A
kWh/1000h: 144

Please note that LED strips must also be cooled.
Make sure that the LED strip does not exceed an operating temperature of 40°C, otherwise the service life cannot be guaranteed.

Attributes

Attribute	Value
-----------	-------

Abstrahlwinkel:	120
Ampere:	6
CC oder CV:	CV
CRI:	>80
Dimmbar:	abhängig vom Netzteil
Grad:	120°
Länge:	5
LED Strip Breite:	15
LED Strip Höhe:	2.20
LED Strip Länge:	5000
Lichtfarbe:	warmweiß
Lichtfarbe Name:	warmweiß
Schutzklasse:	IP20
Volt:	24
Weight:	0.35 Kg
Warranty:	60.00 Months

Additional Images





Accessories

Part No.	Name
81069	Synergy 21 LED zub Hollow Socket with Screw Terminals
81068	Synergy 21 LED zub wooden plug with screw terminals
81741	Synergy 21 LED Flex Strip add. Silicone mounting clip 10 pack
125198	Mean Well Power Supply - 24V 150W IP67
93682	Mean Well Power Supply - 24V 150W Dimmable IP65