


## Synergy 21 LED object/stadium HC spotlight 100W IP67 nw dim 120°



kwh/1000h:	100,00
Lumens:	14000
Watt:	100,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Operating voltage: AC 85-265V, 50/60Hz  
LED: 1 module of 168 LEDs, CREE 3030 140lm/Watt  
Power supply unit: 1\*MeanWell  
Beam angle: 120°, module can be swivelled  
Lumen: 1\*14000lm  
Efficiency: 140Lm/Watt  
Light colour: 4000K ±150 cw  
CRI: Ra>70  
Dimmable: yes, 0-10V  
Housing: aluminium  
Operating temperature: -40°C to +65°C  
Protection class: IP67 / IK08  
Dimensions: 208\*92\*639mm

Other beam angles on request: 10°/30°/60°/90°/120°  
Other light colours on request: 4000K/5000K/5700K/6500/


Energy efficiency class: A++  
kWh/1000h: 100

The connection of electrical components and systems may only be carried out by only be carried out by qualified specialists!

## Attributes

Attribute	Value
Abstrahlwinkel:	120
CRI:	>80
Dimmbar:	0-10V
Grösse:	208*92*639
LED - Gehäusefarbe:	schwarz
LED - Gehäusematerial:	Aluminium
Lichtfarbe:	neutralweiß
Lichtfarbe in Kelvin:	4000
Lumen:	14000
Schutzklasse:	IP67
Volt:	230
Weight:	4 Kg
Warranty:	60.00 Months

## Additional Images





## Accessories

Part No.	Name
148726	Synergy 21 - Waterproof connector 1:1
148727	Synergy 21 - Waterproof connector 1:2
148730	Synergy 21 - Waterproof connector box 3 ports
148729	Synergy 21 - Waterproof connector box 3 ports transparent
148728	Synergy 21 - Waterproof connector box 4 ports
147265	Netz Kabel 230V Schutzkontakt CEE7(Stecker)->Open End mit Adernendhülsen, 1,8m,Black