

Synergy 21 LED AKKU Construction floodlight 10W yellow/cold white slider



| | |
|----------------------------|------------|
| kwh/1000h: | 11,00 |
| Lumens: | 800 |
| Watt: | 11,0 |
| Nominal Service Life: | 35000 Std. |
| Switching Cycles: | 50000 |
| Opt. Ambient Temperature.: | 25 °C |



Rechargeable AKKU LED construction spotlight with carrying frame.
Mains charging cable (230V) and car charging cable (12V) included in the scope of delivery
Battery has USB port for charging mobile phone/smartphone/iPhone/iPad etc
LED: 10Watt high-power chip
Beam angle: 120°
Kelvin: 5750K ±250
Lumen: 800lm, 80lm/watt
Lithium-ion battery 7.4V 4.4Ah
USB port: 5V, 1A
Charging cycle: 500 to 1000 times
Charging time: 5-6 hours
Running time: approx. 3-12 hours
Light colour: Cold white
LED chip: Epistar
Housing: Injection moulded aluminium in yellow
Operating temperature: -10°C to +55°C
Protection class: IP65 (water jet resistant)
Dimensions: (l*w*h) 116*115*240mm
Scope of delivery: Battery spotlight 10W incl. 1 battery, charging cable 230V and 12V

PLEASE NOTE: The battery included in the scope of delivery has a warranty of 6 months!

Attributes

| Attribute | Value |
|------------------------|----------------|
| Abstrahlwinkel: | 120 |
| Betriebstemperatur: | -10 bis +55 |
| Grösse: | 116*115*240 |
| LED - Gehäusefarbe: | gelb |
| LED - Gehäusematerial: | ALU Spritzguss |
| Lichtfarbe: | Kaltweiss |
| Lichtfarbe in Kelvin: | 5750 |
| Lumen: | 800 |
| Schutzklasse: | IP65 |
| Weight: | 1 Kg |
| Warranty: | 24.00 Months |

Additional Images



Accessories

| Part No. | Name |
|----------|--|
| 149872 | Synergy 21 LED AKKU construction floodlight 10W add. Replacement AKKU slider |
| 113775 | Synergy 21 LED battery back floodlight 10W zub. Magnetic feet |
| 114497 | Synergy 21 LED AKKU construction spotlight 10W add. Spare power supply KFZ |