



Número de artículo: 114960
Número de fabricante: ALL-WR0235

ALLNET ALL-WR0235N / Wireless N 2,4GHz Travel-Router/AP

>>> Al artículo de la tienda



EAN CODE



Highlights:

- Pocket router/AP
- 2.4GHz Wireless max. 300Mbps
- WEP/WPA encryption,
- Ports: 1 WAN port, 1x LAN port, 1x Micro-USB 5V, 1x USB 2.0 for NAS option.
- Default firmware is embedded Linux. Closed source see pictures
- Optional Flashbar with OpenWRT "at your own risk see <https://openwrt.org/toh/nexx/wt3020> WT3020H"".

Wireless NAS Router

Mini Size, Wide Coverage



300Mbps High Transmission Rate



Two Net Port Wire and wireless connection



Expand Net Port


Connect into WAN with exterior cable



WiFi Sharing with Whole Family



All-around WiFi Coverage



Multiple Power Supply



USB Power Charge




Cellphone Power Supply



Mobile Power Supply

Plug and Play





Specification

General	Model: ALL-WR0235 Type: Repeater,Router Interface: Micro USB,RJ45,USB 2.0 Router Connectivity Type: Ethernet Transmission Rate: 300Mbps Speed of Ethernet Port: 100Mbps Network Protocols: IEEE 802.11b,IEEE 802.11g,IEEE 802.11n Wireless Standard: Wireless G,Wireless N Wireless Security: WEP,WPA WiFi Distance : 100M
---------	--



Número de artículo: 114960
Número de fabricante: ALL-WR0235

	Supports System: Linux,Mac OS,Win vista,Win XP,Windows 7,Windows 8 LAN Ports: 2 ports Max. LAN Data Rate: 300Mbps
Product Detail	Freq: 100Hz - 16KHz DC Port: No Quantity of Antenna: 2 Working Voltage: 5V Language: English Built-in VPN: Not Support Firewall Settings: Support
Dimensions and Weight	Product weight: 0.030 kg Package weight: 0.096 kg Product size: 6.50 x 4.50 x 2.00 cm / 2.56 x 1.77 x 0.79 inches Package size: 12.00 x 8.00 x 3.50 cm / 4.72 x 3.15 x 1.38 inches
Packing List	Packing List: 1 x Wireless NAS Router, 1 x USB Cable

Accesorios

Número de artículo	Denominación
124147	ALLNET Fuente de alimentación Micro USB 5V/2A
158941	Rock Pi 4 Cargador USB QC 3.0