

Note:
 ROHS 2.0 & REACH Compliant
 Test:
 Grade Designation:Each to Reference

TYPE	MULTI-MODE	Standard
Insertion LOSS	≤0.3dB	IEC 61300-3-4
Return LOSS	≥35dB	IEC 61300-3-6
Test Wavelength	850nm	
Typical	≤0.10dB	
Durability	0.2dB after 500 Times mating	IEC 61300-2-2
Temperature range	-20℃~+60℃	IEC 60794-2
End face		IEC/PAS 61300-3-35
Fibre cable Straight pull	6.8kg	GR-326-CORE

MATERIAL LIST:

NO.	SPECIFICATION STANDARD	QT' Y	REMARK
⑦	White Heat Shrink Tube	2pcs	
⑥	LC Uniboot Duplex Clip beige	2pcs	
⑤	LC Dust Cap White	4pcs	
④	LC Uniboot Duplex Connector beige	4pcs	
③	LC White Boot	2pcs	
②	LC/UPC MM Ferrule OD:1.25mm ID:126-128um	4pcs	
①	Fiber Optical Cable Erika Viollet 50/125 OM4 Simplex Ø3.0mm LSZH	L+0.1m	


SYNERGY 21							
CUSTOMER				ITEM NO.			
PRODUCT NAME	LC-LC Uniboot Duplex OM4 Patch cord	manufacture country	CHINA	UNIT	MM		
DRAWNBY	CHECKBY	APPOBY	DATE				
SYNERGY 21	SYNERGY 21	SYNERGY 21	2014-12-25				

ADD PIN assignment	2015-10-08	A1
NEW	2014-12-25	A
REVISION RECORD MODIFICATIONS	DATE	REV.

BY FERGUS CHK


PACKING DRAW

ITEM NO.	Shopnumber	LENGTH	EAN CODE	PACKING
S216710	118544	500MM	4038816040862	SYNERGY 21 Bag A
S216711	118534	1000MM	4038816040763	SYNERGY 21 Bag A
S216712	118535	2000MM	4038816040787	SYNERGY 21 Bag A
S216713	118536	3000MM	4038816040794	SYNERGY 21 Bag B
S216714	118537	5000MM	4038816040800	SYNERGY 21 Bag B
S216715	118538	7500MM	4038816040817	SYNERGY 21 Bag B
S216716	118539	10000MM	4038816040831	SYNERGY 21 Bag B
S216717	118540	15000MM	4038816118547	SYNERGY 21 Bag B
S216718	118541	20000MM	4038816040848	SYNERGY 21 Bag B




Label

SYNERGY 21										
CUSTOMER				ITEM NO.						
PRODUCT NAME	LC-LC Uniboot Duplex OM4 Patch cord	manufacture country	CHINA	UNIT	MM					
FERGUS	ADD PIN assignment			2015-10-08	A1	DRAWNBY	CHECKBY	APPOBY	DATE	
	NEW			2014-12-25	A	SYNERGY 21	SYNERGY 21	SYNERGY 21	2014-12-25	
BY	CHK	REVISION RECORD MODIFICATIONS			DATE	REV.	SYNERGY 21	SYNERGY 21	SYNERGY 21	2014-12-25





Label 1 Sample



Inner Carton: Single wall corrugated board



Carton: Double wall corrugated board





Label 4 Sample




Label 2 Sample


Label 3



Label 3 Sample



217mm*217mm*220mm



450mm*450mm*250mm

1. 1PCS/PE Bag + Label, xxPCS/ inner Carton /4 inner carton/out carton
2. "I" type sealing

SYNERGY 21										
CUSTOMER					ITEM NO.					
PRODUCT NAME		PACKING		manufacture country		CHINA		UNIT MM		
DRAWNBY		CHECKBY		APPOBY		DATE				
BY	CHK	REVISION RECORD MODIFICATIONS			DATE	REV.	SYNERGY 21	SYNERGY 21	SYNERGY 21	2014-12-25

	FERGUS	ADD PIN assignment			2015-10-08	A1				
		NEW			2014-12-25	A				
BY	CHK	REVISION RECORD MODIFICATIONS			DATE	REV.	SYNERGY 21	SYNERGY 21	SYNERGY 21	2014-12-25