


Synergy 21 LED UV-C rechargeable disinfection lamp 10W yellow



kwh/1000h:	10,00
Lumens:	1300
Watt:	10,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Rechargeable AKKU LED construction spotlight with carrying frame.

UV-C is used for virus disinfection

LED: 10Watt UV-C 273nm

Beam angle: 108°

Input voltage: 12V DC, 1A

Lithium-ion battery 7.4V 2000mAh

Charging cycle: 500 to 1000 times

Charging time: ~5 hours

Running time: ~3 hours

Light colour: UV-C, 273nm

Housing: Injection moulded aluminium in yellow

Operating temperature: -20°C to +50°C

Protection class: IP20

Dimensions: (l*w*h) 162*112*280 mm

Scope of delivery: 10W battery spotlight incl. permanently installed battery, 12V, 1A charging plug and a charging cable

PLEASE NOTE: The battery included in the scope of delivery has a warranty of 6 months!

ATTENTION: UV-C light can cause damage to the retina of the eye as well as skin damage after prolonged exposure.

Use only in the absence of people.

disinfection distance(cm)/light power(mw)/time(s)

20cm/120mw/sqm/30s
50cm/80mw/sqm/60s
100cm/40mw/sqm/ 180s
150cm/20mw/sqm/ 400s
200cm/10mw/sqm/ 600s


Attributes

Attribute	Value
Abstrahlwinkel:	108
Ampere:	1
Betriebstemperatur:	-20-+50
Dimmbar:	nein
Grösse:	162*112*280
LED - Gehäusefarbe:	Gelb
LED - Gehäusematerial:	Alu
Lichtfarbe in nm:	273
Schutzklasse:	IP20
Volt:	12
Weight:	1.14 Kg
Warranty:	12.00 Months

Additional Images



**Achtung:
UV-C Licht!**



Schutzbrille tragen und zur Inbetriebnahme die Schutzplatte entfernen.

UV-C Licht kann Schäden an der Netzhaut des Auges sowie bei längerem Aussetzen auch Hautschäden verursachen. Anwendung nur in Abwesenheit von Personen durchführen.

Accessories

Part No.	Name
113775	Synergy 21 LED battery back floodlight 10W zub. Magnetic feet
114497	Synergy 21 LED AKKU construction spotlight 10W add. Spare power supply KFZ