


Synergy 21 LED garden lamp 25W RGB-WW with RF IP66 230V *Milight/Miboxer*



kwh/1000h:	25,00
Lumens:	1700
Watt:	25,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Bring colour and a pleasant atmosphere to your garden with the **25W RGB+CCT Smart LED garden lamp**. This versatile and powerful lamp not only ensures safe, but also atmospheric lighting in your outdoor area.

The **25W RGB+CCT Smart LED garden lamp** is characterised by its advanced technology and high-quality workmanship. With an output of **25W** and an input voltage of **AC100~240V 50/60Hz**, this lamp provides bright and efficient lighting with a luminous flux of **1700 lumens**. Thanks to the variable colour temperature of **2700K to 6500K** and the RGB+CCT function, you can individually adjust the light colour and intensity to create the perfect mood for any occasion.

With a **light efficiency of 70LM/W** and a **colour rendering index (CRI) of over 75**, the lamp ensures natural and vivid colours. The **power factor (PF) of over 0.5** makes the lamp particularly energy-efficient, while the **robust aluminium construction and IP66 protection rating** guarantee a long service life of up to **50,000 hours**. The garden lamp is therefore resistant to water and dust and ideal for outdoor use.

The lamp has a beam angle of **15°** and an illumination distance of over **10 metres**, which ensures targeted and effective light distribution.

This garden lamp is the ideal choice for illuminating gardens, paths and other outdoor areas. It is easy to install and can be controlled with a wireless remote control and/or a Wi-Fi controller for iOS and Android, both of which are available separately.

Product Name: 25W RGB+CCT Smart LED Garden Lamp

Model No.: FUTC05

Power: 25W




Voltage: AC100~240V 50/60Hz
Kelvin: 2700~6500K
Luminous Flux: 1700LM
Luminous Efficiency: 70LM/W
CRI: >75
PF: >0.5
Lifespan: 50000 hours
Beam Angle: 15°
Illumination distance: >10m
IP Rate: IP66
Material: Aluminium

Energy efficiency class: F
kWh/1000h: 25

Attributes

Attribute	Value
Abstrahlwinkel:	15
Dimmbar:	Ja
Grösse:	180*170*65
LED - Gehäusematerial:	Aluminium
Lichtfarbe:	RGB-WW
Lichtfarbe in Kelvin:	2700~6500
Lumen:	1700
Schutzklasse:	IP66
Volt:	230
Weight:	0.5 Kg
Warranty:	24.00 Months

Additional Images




**Support Amazon Alexa Voice Control
Smart Phone APP Control**

Turn ON/OFF and adjust brightness, color temperature, lighting colors by Voice commands or APP easily with the personalized setting.
*Amazon Alexa Voice Control(need M-LIGHT WiFi Remote)
*Smartphone APP Control(need M-LIGHT WiFi Box or WiFi Remote)

Symmetrical and centralized light ray
Beam Angle 25°, Irradiation distance 10m


Auto-transmitting function

One garden light can transmit the signals from the remote control to another garden light within 30m, as long as there is a garden light within 30m, the remote control distance can be limitless.



Auto-synchronization function

Different garden light can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and with same speed, and within 30m distance.



Adjustable freely and easy operation

Install at different scenes, can rotate and adjust the beam angle freely

180°

High lumen LED Chips

Low power consumption and luminance decrease; Bright color and high brightness



Optical Lens

Anti-dazzling optical lens; diverging light scientifically. Symmetrical and bright light ray

Anticorrosion inserted pole

High quality Aluminum, longer and more thick strong anticorrosion

COMPATIBLE REMOTE SHEET

Product	Compatible Remote

Accessories

Part No.	Name
147981	Synergy 21 LED remote RGB-WW (RGB-CCT) 8 zones *Milight/Miboxer*
147982	Synergy 21 LED remote RGB-WW (RGB-CCT) 4 zones *Milight/Miboxer*
148005	Synergy 21 LED remote smart panel RGB-WW (RGB-CCT) 4 zones *Milight/Miboxer*
148006	Synergy 21 LED remote smart panel RGB-WW (RGB-CCT) 8 zones *Milight/Miboxer*
181054	Synergy 21 LED remote WLAN controller *Milight/Miboxer*
148507	Synergy 21 LED remote WLAN controller smart light *Milight/Miboxer*
147265	Netzkabel 230V Schutzkontakt CEE7(Stecker)->Open End mit Adernendhülsen, 1,8m,Black
126355	Mean Well Power Supply - 24V 60W IP67
184156	Synergy 21 LED garden lamp 6W RGB-WW zub cabel *Milight/Miboxer*
184157	Synergy 21 LED garden lamp 6W RGB-WW zub conector *Milight/Miboxer*