

ALLNET Design LED Tablet 13 inch RK3288 Android 8.1 and NFC

>>> [Go to the shop article](#)



EAN CODE



ALLNET Design LED Tablet 13 Inch RK3288 Android 8.1 and NFC, Wlan, PoE, Bluetooth, LED Tablet

Includes power supply and ultra-flat wall mount. RGB LED for displaying e.g. warning signals, occupancy of meeting rooms, etc.

| | | |
|----------------|------------------|----------------------------------|
| System | CPU | RK3288,Quad-core cortex A17,1.8G |
| | RAM | 2GB |
| | Internal memory | 16GB |
| | Operation system | 8.1 |
| Display | Touch screen | 10-Point capacitive touch |
| | Panel | 13.3"LCD IPS panel |
| | Resolution | 1920*1080 |
| | Active area | 293.76(H)x165.24mm(V) |
| | Display mode | Normally black ,IPS |
| | Viewing angle | 85/85/85/85(L/R/U/D) |
| | Contrast ratio | 800 |
| | Luminance | 250cd/m2 |
| Network | Aspect Ratio | 16:10 |
| | WiFi | 802.11a/b/g/n 2,4/5GHz |
| | Ethernet | 100M/1000M ethernet |

| | | |
|--------------------|---------------|---|
| | Bluetooth | Bluetooth 4.0 |
| Interface | Card slot | SD card |
| | USB | USB Host |
| | Micro USB | Micro USB OTG |
| | USB | USB for serial |
| | RJ45 with POE | RJ45 |
| | POE | IEEE802.3at/af |
| | Power jack | DC power input |
| | Earphone | 3.5mm earphone + Micphone |
| Media play | Video format | MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K |
| | Audio format | MP3/WMA/AAC etc. |
| | Photo | jpeg |
| | VESA | 75x75mm |
| | Speaker | 2*1.5W |
| | LED Light bar | LED Light bar |
| | Camera | 2.0M/P,Front camera |
| | Working temp | 0--40degree |
| | Certificates | CE/FCC/RoHS |
| | Language | Multi-language |
| Accessories | Adapter | Adapter,12V/1.5A |
| | User manual | yes |

Attributes

| Attribute | Value |
|------------------------|------------|
| Arbeitsspeicher (RAM): | 2 |
| Betriebssystem: | Android 10 |
| Bluetooth: | ja |
| Chipset: | RK3288 |
| Diagonale: | 13,3 |
| Einsatzbereiche: | Indoor |
| Farbe Displayrand: | weiß |
| Farbe Gehäuse: | weiß |



Part No.: 174716
Vendor Part No.: DT13RK3288A80PoENFC

| Attribute | Value |
|--------------------------|--------------|
| Hauptspeicher: | 16 |
| IP Schutzklasse Display: | IP 20 |
| Kamera: | ja |
| NFC&RFID: | 13,56MHz |
| Produktart: | Tablet |
| Stromversorgung: | PoE&Netzteil |
| Touchscreen: | kapazitiv |
| Weight: | 2 Kg |
| Warranty: | 24.00 Months |

Accessories

| Part No. | Name |
|----------|--|
| 149144 | VESA Adapterplatte Mini-PC an VESA Monitor-Halterung |
| 161472 | VESA Desktop Standfuß Wand-Halterung Flex für Tablet, Display, Monitor 7,5cm/10cm Vesa, 2 Gelenke |
| 174452 | VESA desktop stand mount Flex for tablet |
| 104257 | VESA Wandhalterung Flepo - omicron-1 für Tablet, Monitore |
| 146334 | VESA wall mount for tablet, monitors very flat with securing |
| 107727 | HEP Power Supply - 12V 12W - HEP for Flush Mount Box |
| 168029 | ALLNET ALL-WCL1200AC / 1200Mbit Wireless Client |
| 198301 | VESA Standfuß Halterung höhenverstellbar für Tablet, Display |
| 198302 | VESA Standfuß Halterung höhenverstellbar für Tablet, Display |
| 206389 | ALLNET Ersatznetzteil 12V/2,5A Unterputznetzteil rund Standa |
| 210286 | ALLNET Ersatznetzteil zbh. Hohlbuchse -> Hohlstecker Adapterkabel Verlängerung -> 4,0mm x 1,7mm 1,5m |
| 133125 | ALLNET Passives Injektor Adapter Kabel Set DC Hohlstecker Adapter 5.5 mm gerader Stecker |
| 112270 | ALLNET ALL048900V2 / Power over Ethernet Injector AT++ 90W |
| 186548 | ALLNET PoE Injector Gigabit PoE & PoE+ (15,4W/30W) / plastic |
| 188381 | ALLNET PoE Inject PoE Gigabit (15,4W/30W/45/60/95W) "ALL0495BT" |
| 209413 | ALLNET Ersatznetzteil 12V/1,5A 4,0mm Hohlstecker Adpater EU/US/UK |



Part No.: 174716
Vendor Part No.: DT13RK3288A80PoENFC

[Click here to discover more items from this category in our shop.](#)