


## Synergy 21 LED Tube T5 SL Series 120cm, neutral white



kwh/1000h:	25,00
Lumens:	3250
Watt:	25,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



LED Tube T5 (Röhre)  
powered from one side

Power consumption: 25 Watt  
Lumen: 130lm/W, 3250 Lm  
Input: 100-240VAC, 50/60HZ  
Light colour: neutral white; 840  
Kelvin: 4100K±250  
CRI: >80  
Beam angle: 120° frosted cover  
Length: 1149mm  
Diameter: 23 mm  
Base: T5 rotatable 180° (Attention T5 does NOT fit in T8 base)  
Material: polycarbonate (frosted glass look)

Operating temperature: -0°C ~ 45°C



Energy efficiency class: A++  
kWh/1000h: 25

5 year guarantee  
IES files available on request

## Attributes

Attribute	Value
Abstrahlwinkel:	120
Betriebstemperatur:	-1 bis +45
CRI:	>80
Dimmbar:	nein
Grösse:	1149*23
LED - Gehäusefarbe:	silber
LED - Gehäusematerial:	PC
Lichtfarbe:	neutralweiß
Lichtfarbe in Kelvin:	4100
Lumen:	3250
Schutzklasse:	IP40
Sockel:	T5 drehbar
Volt:	230
Weight:	0.3 Kg
Warranty:	60.00 Months

## Additional Images



## Accessories

Part No.	Name
134899	Synergy 21 Netzteil - Einschaltstrombegrenzer OSRAM
156713	Synergy 21 LED Tube T5 series 120cm, IP65 double base
156714	Synergy 21 LED Tube T5 series 120cm, IP65 socket
156719	Synergy 21 LED Tube T5 series 120cm, IP20 base
156728	Synergy 21 LED Tube T5 series 120cm, IP20 double base
183813	Synergy 21 LED Tube T5 / T8 to standard power supply unit to emergency power supply 230V