

ALLNET Switch industrial full managed Layer2+ 20 Port GbE • PoE Budget 240W • 8x PoE at • 8x GbE • 4x SFP • DIN • Fanless • ALL-SGI8120PM

>>> Vers l'article de la boutique en ligne



EAN CODE



20 ports Gigabit • PoE Budget 240W • 8 ports PoE • 8 ports GbE • 4 ports SFP • DIN, sans refroidissement - Boîtier sans refroidissement avec amélioration de la dissipation de chaleur - Soutient Spanning Tree STP(802.1D) et RSTP(802.1W) et MSTP(802.1s) - Soutient une administration étendue via WEB, CLI, TELNET, SSH, SNMP. - Double sécurité de la firmware - Soutient la gestion PoE, comme le plan de temps PoE, PD-alive PoE, priorité de port PoE, redémarrage logiciel PoE sans arrêt - Soutient le protocole G.8032 quick ring. Temps de redémarrage automatique

Attributs

Attribut	Valeur
Anzahl Ports PoE/LAN:	8/8
Belüftung Switch:	Lüfterlos
Einsatzort Switch:	Industrial DIN
LAN Geschwindigkeit:	1Gbit/s
Management:	full managed
PoE Budget:	<300 Watt
PoE Port Leistung:	30W at
SFP Geschwindigkeit:	SFP 1GBit
SFP Port Anzahl:	4



No. d'article: 207417
Numéro de fabricant: ALL-SGI8120PM

Attribut	Valeur
Poids:	1,5 Kg
Garantie:	36.00 Mois

Accessoires

No. d'article	Désignation
221804	ALLNET 19"Wandgehäuse, 6HE, T488mm, Lichtgrau, IP55, SO-Serie, incl. 2-Fach Lüftereinheit
193040	ALLNET 19"Wandgehäuse, 9HE, T488mm, Lichtgrau, IP55, SO-Serie, incl. 2-Fach Lüftereinheit
200364	ALLNET 19"zbh. Gerätehalter für Hutschiene/DIN-Rail Geräte, T150mm/5HE, Lichtgrau, Frontmontage,
219493	ALLNET DIN-RAIL wall mount enclosure, T220mm, light gray, IP66, SP, 16x M25 ALL-DIN-101-AC
219373	ALLNET DIN-RAIL Wandgehäuse, T223mm, Lichtgrau, IP55, SO-DIN-Serie,
219572	ALLNET DIN-RAIL Wallmount/PoE Smart-Managed Switch T220mm, Light Gray, IP66, SP, ALL-DIN-SGI8012PM
144991	ALLNET ALL-PR2012P-E / PoE Outdoor IP68 Repeater AT - AT
189128	ALLNET PoE 2x Extender Repeater Outdoor Switch IP67
134034	ALLNET ALL-B100-24VDC / Power-Booster 24VDC to 48~55VDC 90W
128033	ALLNET Switch Modul ALL4750-INDU SFP(Mini-GBIC), 1000Mbit MM
128034	ALLNET Module de commutation ALL4751-INDU SFP(M-GBIC), 1G SM
166757	ALLNET Switch Modul ALL4752-INDU SFP(Mini-GBIC), 1000Mbit, LX/LC, 20KM, Industrial, -40/+85 Grad,
193149	ALLNET Switch Modul ALL4761-INDU SFP(Mini-GBIC), 1000Mbit, WDM(Bidi)/LC, Tx1310nm/Rx1490nm, 9u, 20Km, Industrial -40/+85 Grad,
193150	ALLNET Switch Modul ALL4762-INDU SFP(Mini-GBIC), 1000Mbit, WDM(Bidi)/LC, Tx1490nm/Rx1310nm, 9u, 20Km, Industrial -40/+85 Grad,
140675	ALLNET Switch Module ALL4765 SFP(Mini-GBIC), 1000Mbit
208404	ALLNET Switch Modul ALL4765-INDU SFP(Mini-GBIC), 1000Mbit, RJ45(TP), Industrial -40/+85 Grad,
105684	ALLNET ALL95112 / 12Port Overvoltage protection TP/ALL-IP
99305	ALLNET ALL95100 / TP Cat 6 Gigabit surge arrester
198028	ALLNET TP Cat 6 Überspannungs-/Blitzschutz Surge Protector A



No. d'article: 207417
Numéro de fabricant: ALL-SGI8120PM

No. d'article	Désignation
140523	Mean Well power supply - 48V 75W DIN rail, narrow
140523	Mean Well power supply - 48V 75W DIN rail, narrow
140522	Mean Well power supply - 48V 120W DIN rail, narrow
131244	Mean Well Alimentation électrique du puits moyen - 48V 240W
146994	Mean Well Power Supply - 48V 480W DIN Rail
146996	Mean Well Power Supply - 48V 960W DIN Rail
140955	TP(RJ45) POE-Tester, at/af, Endspan/Midspan, standard, Synergy 21,
193972	TP-TP coupler, CAT6A, socket, 1:1, 8-pin, RJ45, Security-Network coupler, drop socket, PoE capable, up to 10 Gbit (ABS housing) - ALL-RJ45-Magnet-V2