




Part No.: 201317  
Vendor Part No.: ALLTAB15RK3566A11PoE

## ALLNET Touch Display Tablet 15 inch PoE with 4GB/16GB, RK3566 Android 11 black

>>> [Go to the shop article](#)



### EAN CODE



Advertising ALLinOne PC with Rockchip RK3566 CPU and Android 11. 4GB Ram / 16GB memory. Expandable via USB and SD cards. Resolution 1920x1080 FullHD, PoE (Power over Ethernet).

Update firmware to Android 13: <https://fileshare.allnet.de/s/Kz7jggm53vwziPO>

The 3566 is a new processor from Rockchip and is ideally suited as a visualisation display.

The power touch button on the front can be deactivated on the software side

OTA Update APK: <https://fileshare.allnet.de/s/zuB1YJxxS7k6aUP>

Model NO. ALL-POE Tablet 15inch RK3566		
Product Type	15" POE	
Description		
System	CPU/GPU	Rockchip RK3566 quad core processor, CPU – Quad-core Arm Cortex-A55, GPU – Mali-G52EE GPU
	RAM	4GB
	ROM	16GB
	System	Android 11



<b>Display</b>	screen	15 inch IPS panel
	resolution	1920x1080 wide viewing
	Contrast	1000:1
	Brightness	500nits
<b>Network</b>	WiFi	802.11a/b/g/n 2.4/5GHz
	Ethernet	POE 30.4 at
	Bluetooth	YES
	3G	Support external 3G USB dongle
<b>Jack</b>	SD	Support SD card ( Max 32G )
	Mini USB	Mini USB
	USB Host x 3	USB Host 3.0/2.0
	RJ-45	built in
	DC	DC input
	Headset	3.5mm stereo headphone/micro output
<b>Multimedia</b>	Video	Video decode – H.264/H.265/VP9 Video encode – 1080p60 H.264/H.265
	Audio	MP3/WMA/AAC etc.
	Picture	jpeg, jpg
<b>other functions</b>	Wireless mouse	Support
	Wireless keyboard	Support
	Speak	2Wx2
	Camera	2 million pixel camera
	OSD Language	Multi language OSD operation
<b>attachment</b>	Adapter	12V/2A Power Supply included
	Desktop Bracket	Standard
	Vesa	75x75mm

**Restrictions:**

The tablets cannot be compared with tablets from the main brands. The Android is based on AOSP. Some apps and functions are therefore limited and not functional.

## Attributes

Attribute	Value
-----------	-------



Abmessung:	403x253x34 mm
Alternative Betriebssysteme:	Linux;
Arbeitsspeicher (RAM):	4
Auflösung Panel:	1920x1080
Betriebssystem:	Android 11
Bluetooth:	ja;
Chipset:	RK3566
Diagonale:	15
Einsatzbereiche:	indoor
Farbe Displayrand:	schwarz
Farbe Gehäuse:	schwarz;
Hauptspeicher:	16
IP Schutzklasse Display:	IP 20
Kamera:	ja
Mobilfunk:	nein
Montageart:	Vesa 75x75;
Produktart:	Tablet
SIP Einbindung:	Nein
Stromversorgung:	PoE und Netzteil
Touchscreen:	Capacitiv
Video Eingang:	nein
Weight:	3 Kg
Warranty:	12.00 Months

## Accessories

Part No.	Name
104257	VESA Wandhalterung Flepo - omicron-1 für Tablet, Monitore
146334	VESA wall mount for tablet, monitors very flat with securing
186548	ALLNET PoE Injector Gigabit PoE & PoE+ (15,4W/30W) / plastic
112270	ALLNET ALL048900V2 / Power over Ethernet Injector AT++ 90W
138516	ALLNET ALL-SG8245PM / managed 5 Port Gigabit Switch, 4x PoE

Part No.	Name
157678	ALLNET Touch Display Tablet incl. Screw set M3 and M4 for mounting on Vesa bracket
168029	ALLNET ALL-WCL1200AC / 1200Mbit Wireless Client
198301	VESA Standfuß Halterung höhenverstellbar für Tablet, Display
198302	VESA Standfuß Halterung höhenverstellbar für Tablet, Display
149144	VESA Adapterplatte Mini-PC an VESA Monitor-Halterung
161472	VESA Desktop Standfuß Wand-Halterung Flex für Tablet, Display, Monitor 7,5cm/10cm Vesa, 2 Gelenke
174452	VESA desktop stand mount Flex for tablet
155194	ALLNET Touch Display Tablet 15,6 inch Installation set
194999	ALLNET Touch Display Tablet 15 inch zbh. Bezel for mounting frame black
195000	ALLNET Touch Display Tablet 15 inch zbh. Bezel for mounting frame Black Narrow
195001	ALLNET Touch Display Tablet 15 inch zbh. Bezel for mounting frame Silver Wide
195002	
195009	ALLNET Touch Display Tablet 15 inch zbh. Wall mounting frame
206229	ALLNET Touch Display Tablet 15 inch zbh. Bezel for mounting frame, white wide
206230	ALLNET Touch Display Tablet 15 inch zbh. Bezel for mounting frame, white narrow
206389	ALLNET Ersatznetzteil 12V/2,5A Unterputznetzteil rund Standa
200763	ALLNET Wireless AC 800Mbps USB WLAN Stick Dongle ALL-WA0300AC
210287	ALLNET Replacement power supply unit zbh. DC jack -> DC plug adapter cable extension 5.5mm x 2.1mm -> 5.5mm x 2.1mm 1.5m
133125	ALLNET Passives Injektor Adapter Kabel Set DC Hohlstecker Adapter 5.5 mm gerader Stecker
188381	ALLNET PoE Inject PoE Gigabit (15,4W/30W/45/60/95W) "ALL0495BT"
158949	Rock Pi 4 zbh. USB 3.0 Male Type A to A 1,5m

[Click here to discover more items from this category in our shop.](#)