


## Synergy 21 LED UV-C rechargeable disinfection lamp 10W yellow



kwh/1000h:	10,00
Lumens:	1300
Watt:	10,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Rechargeable AKKU LED construction spotlight with carrying frame.

UV-C is used for virus disinfection

LED: 10Watt UV-C 273nm

Beam angle: 108°

Input voltage: 12V DC, 1A

Lithium-ion battery 7.4V 2000mAh

Charging cycle: 500 to 1000 times

Charging time: ~5 hours

Running time: ~3 hours

Light colour: UV-C, 273nm

Housing: Injection moulded aluminium in yellow

Operating temperature: -20°C to +50°C

Protection class: IP20

Dimensions: (l\*w\*h) 162\*112\*280 mm

Scope of delivery: 10W battery spotlight incl. permanently installed battery, 12V, 1A charging plug and a charging cable

PLEASE NOTE: The battery included in the scope of delivery has a warranty of 6 months!

ATTENTION: UV-C light can cause damage to the retina of the eye as well as skin damage after prolonged exposure.

Use only in the absence of people.

disinfection distance(cm)/light power(mw)/time(s)

20cm/120mw/sqm/30s  
50cm/80mw/sqm/60s  
100cm/40mw/sqm/ 180s  
150cm/20mw/sqm/ 400s  
200cm/10mw/sqm/ 600s


## Attributes

Attribute	Value
Abstrahlwinkel:	108
Ampere:	1
Betriebstemperatur:	-20-+50
Dimmbar:	nein
Grösse:	162*112*280
LED - Gehäusefarbe:	Gelb
LED - Gehäusematerial:	Alu
Lichtfarbe in nm:	273
Schutzklasse:	IP20
Volt:	12
Weight:	1.14 Kg
Warranty:	12.00 Months

## Additional Images



**Achtung:  
UV-C Licht!**



Schutzbrille tragen und zur Inbetriebnahme die Schutzplatte entfernen.

UV-C Licht kann Schäden an der Netzhaut des Auges sowie bei längerem Aussetzen auch Hautschäden verursachen. Anwendung nur in Abwesenheit von Personen durchführen.

## Accessories

Part No.	Name
113775	Synergy 21 LED battery back floodlight 10W zub. Magnetic feet
114497	Synergy 21 LED AKKU construction spotlight 10W add. Spare power supply KFZ