



Synergy 21 Tira LED Flex 12V/36W, RGB, Positivo, IP68, 5m



kwh/1000h:	36,00
Lúmenes:	1200
Vatio:	36,0
Vida útil nominal:	35000 Std.
Ciclos de conmutación:	50000
Temperatura ambiente óptima:	25 °C



- Voltaje: 12V/3A/36W
- Número de leds: 150x SMD5050
- Flujo luminoso: 1200-1275lm
- Clase de protección: IP68
- Ángulo de enfoque: 120°
- Dimensiones: 5000 x 13 x 5,5 mm
- Polo positivo
- Se puede cortar cada 3 LEDs
- Incluye autoadhesivo 3M en la parte trasera

Tenga en cuenta que las tiras de Synergy 21 deben funcionar a una temperatura no superior a los 40°.

Atributos

Atributo	Valor
Abstrahlwinkel:	120
Ampere:	3
CC oder CV:	CV
Dimmbar:	abhängig vom Netzteil
EPREL_ANTI_GLARE_SHIELD:	false

Atributo	Valor
EPREL_BEAM_ANGLE:	Not applicable
EPREL_BEAM_ANGLE_CORRESPONDENCE:	SPHERE_360
EPREL_CAP_TYPE:	/
EPREL_CHROMATICITY_COORD_X:	0.000
EPREL_CHROMATICITY_COORD_Y:	0.000
EPREL_CLAIM_EQUIVALENT_POWER:	false
EPREL_COLOUR_TUNEABLE_LIGHT_SOURCE:	false
EPREL_CONNECTED_LIGHT_SOURCE:	false
EPREL_CORRELATED_COLOUR_TEMP_TYPE:	RANGE
EPREL_DIMENSION_DEPTH:	0
EPREL_DIMENSION_HEIGHT:	0
EPREL_DIMENSION_WIDTH:	0
EPREL_DIMMABLE:	NO
EPREL_DIRECTIONAL:	NDLS
EPREL_ENERGY_CONS_ON_MODE:	0
EPREL_ENVELOPE:	NO
EPREL_EQUIVALENT_POWER:	Not applicable
EPREL_HIGH_LUMINANCE_LIGHT_SOURCE:	false
EPREL_LIGHTING_TECHNOLOGY:	LED
EPREL_LUMEN_MAINTENANCE_FACTOR:	0.98
EPREL_LUMINOUS_FLUX:	0
EPREL_MAINS:	NMLS
EPREL_MAX_BEAM_ANGLE:	Not applicable
EPREL_MIN_BEAM_ANGLE:	Not applicable
EPREL_POWER_ON_MODE:	0.0
EPREL_POWER_STANDBY:	0.00
EPREL_REGISTRANT_NATURE:	MANUFACTURER
EPREL_SURVIVAL_FACTOR:	1.00
Grösse:	5000*13*5,5
Länge:	5
LED Strip Klebeband:	ja

Atributo	Valor
LED Strip Breite:	10
LED Strip Höhe:	2.30
LED Strip Klebeband:	ja
LED Strip kürzbar:	100
LED Strip Länge:	5000
Lichtfarbe:	RGB
Lichtfarbe Name:	RGB
Lumen:	1200-1275
Schutzklasse:	IP68
Volt:	12
Peso:	0.5 Kg
Garantía:	24.00 Meses

Accesorios

Número de artículo	Denominación
81068	Synergy 21 Conector DC con borne de tornillo
81741	Synergy 21 Clip fijación de silicona para tiras LED, Pack de
78113	Synergy 21 Alimentación Tiras LED de 60W, IP67
81048	Synergy 21 Alimentación 100W/12V, IP67
148726	Synergy 21 Outdoor Kabelverbinder IP68 1:1
148727	Synergy 21 Outdoor Kabelverbinder IP66 1:2
148730	Synergy 21 Outdoor Kabelverbinder IP66 Box 3 Ports
148729	Synergy 21 Outdoor Kabelverbinder IP68 Box 3 Ports transparent
148728	Synergy 21 Netzteil - Wasserdichte Verbinder Box 4 Ports
139522	Mean Well LPV-150-12 Alimentación 12V/120W IP67
183258	Shelly RGBW2 Relé Wi-Fi