


## Synergy 21 LED Prometheus IP68 power supply V2



kwh/1000h:	27,00
Lumens:	1920
Watt:	24,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Power supply unit (constant current source) for single-colour Prometheus V1 and V2

Input: 170-250V, 50/60Hz (cable length 180cm)  
Output: 350mA, 40-85V, 28W max (cable length 100cm)  
Size 200x22x19mm

## Attributes

Attribute	Value
Ampere:	0.35
Grösse:	200*22*19
Weight:	0.661 Kg
Warranty:	60.00 Months

## Additional Images



## Accessories

Part No.	Name
115517	Synergy 21 LED Prometheus IP68 power supply V2
122975	Mean Well power supply - CC Driver DC-DC step-up 350mA ~30W dimmable
87838	Synergy 21 LED Prometheus IP68 RGB-W add. cable 3m
87839	Synergy 21 LED Prometheus IP68 RGB-W zub. Kabel 5m
81394	Synergy 21 LED Prometheus IP68 Zubehör, befahrbare Glasscheibe mit
88251	Synergy 21 LED Prometheus IP68 Zubehör, Deck-Ring
148726	Synergy 21 - Waterproof connector 1:1
148727	Synergy 21 - Waterproof connector 1:2
148730	Synergy 21 - Waterproof connector box 3 ports
148729	Synergy 21 - Waterproof connector box 3 ports transparent
148728	Synergy 21 - Waterproof connector box 4 ports