

Note:
 1. The length L is customized
 2. Polarity: Crossover A-B, B-A.
 3. RoHS 2.0 And Reach Compliant

TYPE	MULTI-MODE
Insertion LOSS	≤0.3dB
Return LOSS	N/A
Test Wavelength	850nm

MATERIAL LIST:

⑦	LC Uniboot Boot White	2pcs	
⑥	Pull rod Erika violett	2pcs	
⑤	LC Uniboot Clip Erika violett	4pcs	
④	LC Uniboot Connector Erika violett	4pcs	
③	LC/UPC Ferrule	2pcs	
②	LC Dust Cap White	4pcs	
①	Fiber Optical Cable Duplex Ø2.0 OM4 LSZH Erika violett (one tube with 2 fiber)	L	

NO.	SPECIFICATION STANDARD	QT' Y	REMARK
	NEW	2018-10-26	A
BY	CHK	REVISION RECORD MODIFICATIONS	DATE

SYNERGY 21					
CUSTOMER		ITEM NO.	See The Chart		
PRODUCT NAME	LC-LC Uniboot OM4 Switchable Patch Cords 2.0	Manufacture country	CHINA	UNIT	MM
DRAWNBY	CHECKBY	APPOBY	DATE		
SYNERGY 21	SYNERGY 21		2018-10-26		

SYNERGY 21


LC Uniboot Connector Switch Polarity Manual

— How to guide


1 Get ready to switch




2 Open buckle



3 Shell separated



4 Rotate the spare parts A & B



5 Spare parts rotate 180°



6 Shell rotate 180°



7 Push back shell



8 Assemble push-pull knob

