


Synergy 21 LED Spot Outdoor floodlight 60W ww with 5° lenses



kwh/1000h:	60,00
Lumens:	6000
Watt:	60,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Custom made with 60 pieces 5° lenses
Delivery time approx. 14 days
With emergency power function and overheating protection
Operating voltage: >AC 207-253V/50-60Hz
LED: 60Watt high-power chips
Beam angle: 120°
Lumen: 6000lm
warm white: 2800-3000K
CRI: Ra>80
Dimmable: yes (leading edge phase dimmer)
Housing: light grey with stainless steel mounting bracket
Front glass: toughened safety glass (ESG)
Operating temperature: -25°C to +55°C
Protection class: IP65 (water jet-proof)
Weight: 7kg
Dimensions: (l*w*h) 365*340*90mm

Energy efficiency class: A+
kWh/1000h: 60

Attributes

Attribute	Value
Betriebstemperatur:	-25 bis +55
CRI:	>80
Dimmbar:	ja
Grösse:	365*340*90
Lichtfarbe in Kelvin:	warmweiß
Lumen:	6000
Weight:	7 Kg

Additional Images



Accessories

Part No.	Name
148726	Synergy 21 - Waterproof connector 1:1
148727	Synergy 21 - Waterproof connector 1:2
148730	Synergy 21 - Waterproof connector box 3 ports
148729	Synergy 21 - Waterproof connector box 3 ports transparent
148728	Synergy 21 - Waterproof connector box 4 ports

Part No.	Name
134568	Finder motion detector IP55
113414	Finder motion detector IP54
82434	Finder Twilight Switch suitable for Synergy 21 LED outdoor spotlight
147265	Netzkabel 230V Schutzkontakt CEE7(Stecker)->Open End mit Adernendhülsen, 1,8m,Black