

ALLNET Medical PoE Tablet 15 inch with RK3568 Android 11 4GB/16GB



EAN CODE



ALLNET Medical PoE Tablet 15 inch with RK3568 Android 11 4GB/16GB with optional one-touch button and microphone for e.g. emergency call function (API) for integration into your own software

The **MedTab** from ALLNET impresses with its simple, appealing design and the latest Android software. The buttons are easy to reach and intuitive to use. The cables are securely fixed behind the Vesa holder, which minimises the risk of damage to the connections and makes access more difficult for curious patients.

The trays are made of abrasion-resistant plastic and are also resistant to aggressive cleaning agents.

The tablet is powered by a powerful RK3568 Rockchip Quad Core processor, ideal for media playback such as FullHD videos and music.

The tablets are supplied with a built-in NXP NFC chip, which can also be used to implement patient terminals and grant access authorisations.



Product data sheet		
Model No	ALL_MedTab_1518T	
Brand	ALLNET	
Product type	Wall Mount Digital Signage	
Product Description	15.6" Medical Industry Digital Signage	
System	CPU	Quad core cortex A55,1.8G,RK3568
	RAM	4GB
	Internal memory	16GB
	Operation system	Android 11
	Touch screen	10-Point capacitive touch
Display	Panel	15" LCD IPS panel
	Resolution	1920*1080
	Active area	x
	Display mode	Normally black,IPS
	viewing angle	80/80/80/80/80(L/R/U/D)
	Contrast ratio	700
	Luminance	250cdm2
Aspect Ratio	16:9	

Network	WiFi	2.4/5GHz 802.11a/b/g/n
	Ethernet	100M/1000M
	Bluetooth	Bluetooth 5.0
Interface	USB Device	Micro USB OTG
	Power Jack	DC power input
	RJ45	RJ45
	Earphone	3.5mm earphone
Media plays	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4k
	Audio format	MP3/WMA/AAC etc.
	Photo	jpeg
Other	Wall mounting bracket	100mm*100mm wall mounting
	NFC	13.56M(Optional)
	Button	POWER/VOLUME+/VOLUME-/CALL
	Speaker	2*2W
	Camera	2.0M/P,Front camera
	Micphone	yes
	Language	Multi-language
	Working temp	0--40degree
	Certificates	CE
Accessories	Adapter	Adapter,12V/1A
	User manual	yes

Attributes

Attribute	Value
Arbeitsspeicher (RAM):	4
Auflösung Panel:	1920x1080
Betriebssystem:	Android 13
Bluetooth:	ja
Chipset:	RK3568

Attribute	Value
Diagonale:	15
Einsatzbereiche:	Medical
Farbe Displayrand:	weiß
Farbe Gehäuse:	weiß;
Hauptspeicher:	16
IP Schutzklasse Display:	IP 20
Kamera:	ja
Montageart:	Vesa 100x100;
NFC&RFID:	13,56MHz
PoE Klasse:	802.3at 12,95-25,50 W Class 4
Produktart:	Tablet
Stromversorgung:	PoE&Netzteil
Touchscreen:	kapazitiv
Weight:	2.49 Kg
Warranty:	12.00 Months

Additional Images





Part No.: 214103
Vendor Part No.: MedTab150



Accessories

Part No.	Name
193972	TP-TP coupler, CAT6A, socket, 1:1, 8-pin, RJ45, Security-Network coupler, drop socket, PoE capable, up to 10 Gbit (ABS housing) - ALL-RJ45-Magnet-V2
201008	TP-TP coupling, CAT6A, female, 1:1, 8-pin, RJ45, magnetic fuse coupling 50pcs bulk set, drop socket, PoE capable, up to 10Gbit - ALL-RJ45-Magnet-50pcsBulk
157678	ALLNET Touch Display Tablet incl. Screw set M3 and M4 for mounting on Vesa bracket
232368	Kabel USB, C(St) => C(St), 3,0m, USB3.2, schwarz(Textil), 20G/5A, 240W, Gen 2x2, E-Marker Chip, Synergy 21
232390	Kabel USB, C(St) => C(St), 1,5m, USB4.0, schwarz(Textil), 40G/5A, 240W, Gen 3x2, E-Marker Chip, Synergy 21,
232391	Kabel USB, C(St) => C(St), 2,0m, USB4.0, schwarz(Textil), 40G/5A, 240W, Gen 3x2, E-Marker Chip, Synergy 21,
232643	Kabel USB, C(St) => RJ45(St)_Netzwerkkarte, 2,0m, USB3.2 Type-C, schwarz(Textil), Synergy 21,
232644	Kabel USB, C(St) => RJ45(St)_Netzwerkkarte, 3,0m, USB3.2 Type-C, schwarz(Textil), Synergy 21,