

Snom C52-SP

C520-WiMi Wireless expansion module solution for conference calls





Snom C52-SP



Key features

- · Flexible expansion for C520-WiMi
- · Full Duplex handsfree unit
- · Wireless integration
- · Wideband audio
- \cdot Up to 12 hours talk time
- · Up to 70 hours stand-by time
- · Protection of investment





The Snom C520-WiMi together with the Snom C52-SP is the perfect solution for those who frequently make conference calls in large conference rooms with numerous participants. Up to three C52-SP can act as hands-free units thanks to the two integrated microphones and the powerful speaker.

With its DECT wireless connectivity and battery power supply the Snom C52-SP can be positioned at a distance of up to 50 metres away. With fully automatic voice synchronisation, the microphones allow every participant to clearly understand. The C52-SP handsfree device also has an extremely powerful battery that allows for up to 12 hours talks time.



Advantages

- · C520-WiMi expansion unit for large conference rooms
- · Extensive operating range thanks to the DECT technology
- Flexible positioning thanks to the battery power supply and DECT technology
- \cdot Up to 3 C52-SP can be used at the same time for every C520-WiMi
- · Call handling and volume buttons placed on the C52-SP
- · Multicolour status LEDs

Compliance

- · CE Marking
- · IEC 60950 safety

Compatibility

Up to three C52-SP units can be connected to a single C520-WiMi at the same time.

To operate, the C52-SP needs a C520-WiMi and is not compatible with other DECT based devices.⁽¹⁾

(1) Compatible with C520-WiMi (product code 00004356)

Specifications

Installation

- · DECT coupling via the C520-WiMi
- · No additional equipment required

Features

- · Dimensions (ca.): 305 x 305 x 61 mm (LxWxH)
- · Weight (ca.): unit 1.1 kg
- · Input voltage: 12V DC (SELV)
- Power supply: Batteries or 12V DC power adapter (included)
- · up to 70 hours battery life in stand-by
- · up to 12 hours talk time
- · DECT connectivity (up to 3 for every C520-WiMi)
- · Call handling and volume buttons
- · LED status light (call, mute, etc.)
- · Environmental conditions:
 - · Operating temperature: from -5°C to 45°C
 - · Non-operating temperature: from -5°C to 60°C
 - · Humidity: up to 95% (non-condensing)
- · Included in the package:
 - · C52-SP
 - · Battery for the C52-SP
 - · Cable
 - · Quick start guide (QIG)
- · Colour: Black
- \cdot Manufacturer's warranty: 2 years
- · Product code: 00004357