


Synergy 21 LED round light transparent 26W HL nw



kwh/1000h:	24,00
Lumens:	2500
Watt:	24,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Synergy 21 LED round luminaire transparent
Light-conducting lampshade: round and suspended (HL)
Connection: 200-240 V/AC
Wattage: 26 watts
Lumen: 2500lm
CRI: >80
Light colour: neutral white
Kelvin: 4000 ±200K
Operating temperature: -20° +45° C
Beam angle: 360°
Size: Ø380mm
Height: 88mm
Weight: 2500 g
Protection class: IP20 / IK05

Mounting:
Ceiling box with ceiling bracket, steel cable
2 screws and dowels included.
Please check whether the wall plugs are the right ones for your ceiling!


Energy efficiency class: A+
kWh/1000h: 24


Image similar

Attributes

Attribute	Value
Abstrahlwinkel:	360
Betriebstemperatur:	-20 bis +45
CRI:	>80
Dimmbar:	nein
Grösse:	Ø380*88
LED - Gehäusefarbe:	transparent
LED - Gehäusematerial:	Kunststoff
Lichtfarbe:	neutralweiß
Lichtfarbe in Kelvin:	4000
Lumen:	2500
Schutzklasse:	IP20
Volt:	230
Weight:	2.5 Kg
Warranty:	60.00 Months

Additional Images





Dimension and Illumination Diagram



Height	Beam/Diameter	Angle: 158.05deg	Diameter
1.0m	75.22/1222lx		764.43mm
2.0m	18.76/309.7lx		1493.16mm
3.0m	8.346/124.8lx		2219.23mm
4.0m	4.696/70.13lx		2885.44mm
5.0m	3.055/46.82lx		3732.05mm

