


## Synergy 21 LED round light transparent 18W RL ww



|                            |            |
|----------------------------|------------|
| kwh/1000h:                 | 18,00      |
| Lumens:                    | 1620       |
| Watt:                      | 18,0       |
| Nominal Service Life:      | 35000 Std. |
| Switching Cycles:          | 50000      |
| Opt. Ambient Temperature.: | 25 °C      |



Synergy 21 LED round light transparent  
Light-conducting lampshade: round (RL)  
Connection: 200-240 V/AC  
Wattage: 18 watts  
Lumen: 1620 lm  
CRI: >80  
Light colour: warm white  
Kelvin: 3000 ±200K  
Operating temperature: -20° +45° C  
Beam angle: 360°  
Size: Ø360mm  
Height: 46mm  
Weight: 1200 g  
Protection class: IP20 / IK05

Mounting:  
Clamp block in the lamp  
2 mounting screws included.

Energy efficiency class: A+  
kWh/1000h: 18


Image similar

## Attributes

| Attribute              | Value        |
|------------------------|--------------|
| Abstrahlwinkel:        | 360          |
| Betriebstemperatur:    | -20 bis +45  |
| CRI:                   | >80          |
| Dimmbar:               | nein         |
| Grösse:                | Ø360*46      |
| LED - Gehäusefarbe:    | transparent  |
| LED - Gehäusematerial: | Kunststoff   |
| Lichtfarbe:            | warmweiß     |
| Lichtfarbe in Kelvin:  | 3000         |
| Lumen:                 | 1620         |
| Schutzklasse:          | IP20         |
| Volt:                  | 230          |
| Weight:                | 1.2 Kg       |
| Warranty:              | 60.00 Months |

## Additional Images

Dimension



|     | Dimension D<br>(mm) | Dimension H<br>(mm) | Dimension M<br>(mm) |
|-----|---------------------|---------------------|---------------------|
| 12W | 280                 | 42                  | 163                 |
| 18W | 360                 | 46                  | 212                 |
| 24W | 420                 | 46                  | 212                 |



