

Synergy 21 LED Fernbedienung Smart Panel RGB-WW (RGB-CCT) *Milight/Miboxer*



1 Zonen Funk RGB-CCT Smart Panel

Remote Controller

Working Temperature: -20 - +60°C

Voltage: 3V(2*AAA Battery)

Transmission Frequency: 2400-2483.5MHz

Modulation Method: GFSK

Transmitting Power: 6dBm

Control Distance: 30m

Standby Power: 20uA

Panel Size: 86*86mm

benötigt 2 Stück AAA Batterien, nicht im Lieferumfang enthalten

Merkmale

Merkmal	Wert
Grösse:	86*86
Lichtfarbe:	RGB-WW
Gewicht:	0.2 Kg

Weitere Bilder





Press the button with Sound
The sound can be ON/OFF

When touching the button, LED indicating lamp will flash once with different sound(Touch slider with no sound).

High-end tempered glass panel

Tempered glass panel, scratching and crushing resistance



Power by 2*AAA battery


Adjust warm white to cool white randomly

Adjust the color temperature from 2700-6500K, make the light you want



Brightness Adjustable

Adjust the brightness according to your different using requirements, give the light you want.



COMPATIBLE REMOTE SHEET

Product	Compatible Remote

Zubehör

Art.-Nr.	Name
147689	Batterien Micro AAA 1,5V *Duracell* Industrial 10er Pack
147946	Synergy 21 LED Panel Rund 6W RGB-WW mit Funk und WLAN *Milight/Miboxer*
147979	Synergy 21 LED Panel Rund 12W RGB-WW mit Funk und WLAN *Milight/Miboxer*
147980	Synergy 21 LED Panel Rund 15W RGB-WW mit Funk und WLAN IP54 *Milight/Miboxer*
148008	Synergy 21 LED Garten Lampe 9W RGB-WW mit Funk und WLAN IP65 24V *Milight/Miboxer*
148013	Synergy 21 LED Flächenstrahler 10W RGB-WW (RGB-CCT) IP65 24V *Milight/Miboxer*
148015	Synergy 21 LED Flächenstrahler 10W RGB-WW (RGB-CCT) IP65 230V *Milight/Miboxer*
148017	Synergy 21 LED Flächenstrahler 20W RGB-WW (RGB-CCT) IP65 230V *Milight/Miboxer*
148018	Synergy 21 LED Flächenstrahler 30W RGB-WW (RGB-CCT) IP65 230V *Milight/Miboxer*
148113	Synergy 21 LED Flächenstrahler 50W RGB-WW (RGB-CCT) IP65 230V *Milight/Miboxer*