

ALLNET TP Cat 6 Überspannungs-/Blitzschutz Surge Protector A

>>> Al artículo de la tienda



EAN CODE



ALLNET TP Cat 6 Überspannungs-/Blitzschutz Surge Protector ALL95102O Outdoor IP66

Highlights:

- Plug and play mounting
- IP66 outdoor weatherproof enclosure
- Reliable protection against surges of all devices with network connection

Protect your network devices from lightning surges

The **ALLNET ALL95102O** is the new IP66 weatherproof surge protector from ALLNET. The ALL95102O offers reliable protection against damage to sensitive devices. The ALLNET surge protector, which is housed in an IP66 weatherproof housing, is simply plugged in between the network cable and the device to be protected.

It immediately takes over the protection of the device against overvoltage without any configuration. Together with a regular surge protection and equipotential bonding, the infrastructure in safety-relevant areas, for example, can be permanently protected.

If the overvoltage is too high, the unit breaks down and has to be replaced!

Fields of application:



Número de artículo: 198028
Número de fabricante: ALL951020

- Outdoor IP cameras
- Outdoor WiFi-Accesspoints
- LoRa outdoor gateways / helium miners
- Any outdoor devices with a LAN connection

Technical Details:

Element	Spezifikation
Network Interface:	2x RJ45 10/100/1000Mbps
PoE-Capability:	IEEE802.3af, at, LTPoE++ bis 90W
Arrest capacity:	10kA (8/20µs), 100A (10/1000µs)
Ignition voltage:	90VDC ±20% (Pair to Earth) <450V (bei 100V/µs) <600V (bei 1kV/µs)
Diff. Clamping:	<15V, <5ns, 30Apk (Pair wire to wire)
Diff. Capacity:	<4.0pF
Lines protected:	(Pins)1 - 8 (at 8 pin modular plug)
Test mark:	IEEE 802.3, CAT 5, 6
ESD Protection:	IEC 61000-4-2 class 4 (10kV CD)
Housing:	IP66 Outdoor metal case
Enviroment:	Temperature operating: -40° ~ 80 °C Humidity operating: 10% ~ 95% (non condensed)
Marks:	CE, RoHS
Maße:	200 x 75 x 45 mm (Length x Width x Height)
weight:	329 Gramm (Device only)
Package content:	-ALLNET ALL95102 -QIG

Accesorios

Número de artículo	Denominación
195544	ALLNET Inyector PoE IP67 15,4W/30W/60W
180817	ALLNET Switch unmanaged outdoor 3 Port Gigabit 100W / 3x PoE+ / 1x SFP / Fanless / IP67 /



Número de artículo: 198028
Número de fabricante: ALL951020

Número de artículo	Denominación
	"ALL-SGO8103P"
92865	Synergy 21 Proyector LED 20W con PoE, IR, 120°