

# DisplayPort Cable

3M (9.8ft) / 4.6M (15ft) – rev.1.2

- The ATEN DisplayPort rev.1.2 Cable provides high-definition connectivity and advanced auxiliary channeling. Our DisplayPort cables support long distance connections by safeguarding transmission quality and image clarity. We offer DisplayPort cables at lengths of 3 and 4.6 meters supporting resolutions up to 4K UHD (3840 x 2160 @ 60Hz).



**4K** 3840 x 2160

## Features

- Crystal-clear video up to 4K UHD (3840 x 2160 @ 60Hz)
- Multi-Stream Transport (MST) support
- Supports bandwidth up to 21.6 Gbps
- Supports dual monitors in mirror and extended mode
- Multiple strands of tinned copper wire to enhance EMI protection
- RoHS compliant

## Specifications

Function	2L-7D03DP	2L-7D04DP
<b>Video Resolution</b>	Up to 3840 x 2160 @ 60Hz	
<b>Physical Properties</b>		
Cable Length	3 m	4.6 m
Cable Color	Black	
Cable Outer Dimension	6.8 + - 0.2 mm	8.0 + - 0.2 mm
Conductor Gauge	28AWG	26AWG
Conductor Material	Tinned Copper	
Connector Plating	Nickel	
Connector Type	DisplayPort (20 pin) Male to Male	
Cable Shield Type	Aluminum Magnesium Alloy	
Cable Jacket Type	PVC	
<b>Environmental</b>		
Operating Temperature	80° C	
Rating	UL VW-1 (Flame rate), CSA	

## Model List

<b>2L-7D03DP</b>	3 m DisplayPort rev.1.2 Cable
<b>2L-7D04DP</b>	4.6 m DisplayPort rev.1.2 Cable

